
### SUNVIEW ROOFLIGHTS

FL2Frameless Rooflight

# Installation & Technical Drawings

STEPPED UNIT TOUGHENED INNER PANE

ALL SIZES UP TO 1000 x 2000mm



6mm TOUGHENED CLEAR GLASS, SELF-CLEAN 16mm CAVITY, 90% ARGON 4mm TOUGHENED CLEAR, SOFT COAT LOW-E GLASS 16mm CAVITY, 90% ARGON FILLED 4mm TOUGHENED CLEAR, SOFT COAT LOW-E GLASS

OVERALL THICKNESS: 46mm WEIGHT: APPROX 35Kg/Sqm GLASS THERMAL TRANSMITTANCE U-VALUE: 0.8W/m<sup>2</sup>K




ELECTRIC OPENING SKYLIGHTS LTD

ROOFLIGHT SECTION

BCALE	SHEET SIZE	
1:1	A4	
DATE	DRG NO	REV
10 - 01 - 22	PL - 01	

# STEPPED UNIT LAMINATED INNER PANE

# ALL SIZES OVER 1000 x 2000mm



6mm TOUGHENED CLEAR GLASS, SELF-CLEAN 16mm CAVITY, 90% ARGON 4mm TOUGHENED CLEAR, SOFT COAT LOW-E GLASS 16mm CAVITY, 90% ARGON FILLED 9.14mm TOUGHENED LAMINATED INC 1.14mm CLEAR PVB INTERLAYER

OVERALL THICKNESS: 51.14mm WEIGHT: APPROX 45Kg/Sqm GLASS THERMAL TRANSMITTANCE U-VALUE: 0.8W/m<sup>2</sup>K




ELECTRIC OPENING SKYLIGHTS LTD


ROOFLIGHT SECTION

BCALE	SHEET SIZE	
1:1	A4	
DATE	DRG NO	REV.
10 - 01 - 22	PL - 02	

RECOMMENDED FALL GRADIENT OF 80mm FOR EVERY 1000mm INCLUDING THE FALL OF THE ROOF. A WATER TEST IS ADVISED BEFORE SEALING TO ENSURE WATER RUN OFF. APPLY LOW MODULUS SEALANT AROUND THE PERIMETER BETWEEN THE UNDERSIDE OF THE GLASS BORDER AND TOP OUTER EDGE OF THE KERB.



RECOMMENDED FALL GRADIENT OF 80mm FOR EVERY 1000mm INCLUDING THE FALL OF THE ROOF. A WATER TEST IS ADVISED BEFORE SEALING TO ENSURE WATER RUN OFF.



## ALL SIZES TAKEN AS INTERNAL



ELECTRIC OPENING SKYLIGHTS LTD

ROOFLIGHT SECTION

BCALE	SHEET SIZE	
1:1	A4	
DATE	DRG NO.	REV.
10 - 01 - 22	PL - 04	

### RECOMMENDED FALL GRADIENT 80mm FOR EVERY 1000mm INCLUDING THE FALL OF THE ROOF PERFORM WATER TEST BEFORE SEALING INTO PLACE TO CHECK FOR POOLING

